




PRODUCT CERTIFICATE OF CONFORMITY

Certification Scheme Type 5

This is to certify that the product and certificate holder detailed here-on complied to the Certification Requirements of ANQAS Certification Sdn. Bhd.



A-MARK
Product Certification Mark



PC 03102019 CB 16

TRAPPED FLOOR GULLIES FOR BUILDING

is found to comply with

BS EN 1253-1: 2015

Certificate Holder : CHEZY INDUSTRIES SDN. BHD.
NO. 22, JALAN URANUS AK U5/AK,
TAMAN SUBANG IMPIAN,
40150 SHAH ALAM,
SELANGOR DARUL EHSAN, MALAYSIA.

Product Description : *Product Description shall refer to Appendix A*

Manufacturer : CHEZY INDUSTRIES SDN. BHD.
NO. 22, JALAN URANUS AK U5/AK,
TAMAN SUBANG IMPIAN,
40150 SHAH ALAM,
SELANGOR DARUL EHSAN, MALAYSIA.

Certificate No.:
L00221

Date of Initial Certification:
15.01.2021

Date of Issue:
19.11.2021

Date of Expiry:
31.01.2023

Brand

Chezy

Certificate issued by:
ANQAS CERTIFICATION SDN. BHD.
(1290274-U)
D-02-16, Tingkat 1, Jalan Sri Kenari 14,
Taman Sri Kenari Fasa 2, 43000 Kajang,
Selangor Darul Ehsan, MALAYSIA.

Website : www.anqascertification.com
Tel : +603-3310 0031
: +603-8740 5737 / 9447
Fax : +603-8740 2287

AZMAN BIN IDRIS
Managing Director
ANQAS CERTIFICATION SDN. BHD.



PRODUCT CERTIFICATE OF CONFORMITY

Certificate Holder : CHEZY INDUSTRIES SDN. BHD.

Product Description

Type : Top and bottom access floor gully with side inlet and without membrane

Type of floor gully with side inlet : Type II
Nominal size of outlet : DN(ID)75
Nominal size of side inlet : DN(ID)50 / DN(ID)40 / DN(ID)20
Number of side inlet : 3
Thermal behavior : Class A
Loading strength : K 3, H 1,5
Depth of water seal : 51mm
Material : Body - uPVC
Cap - Polypropylene (PP)

Certificate No. : L00221
Date of Initial Certification : 15.01.2021
Date of Issue : 19.11.2021
Date of Expiry : 31.01.2023


.....
AZMAN BIN IDRIS
Managing Director
ANQAS CERTIFICATION SDN. BHD.

